

PATENT
Atty. Dkt. No. AMAT/2922.Y1/ETCH/DRIE/JB1

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:
Rozenzon, et al.

Serial No.: 09/325,026

Confirmation No.: 2304

Filed: June 3, 1999

For: Temperature Controlled
Window With a Fluid
Supply System

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

Group Art Unit: 1763

Examiner: L. L. Alejandro Mulero

**CERTIFICATE OF FACSIMILE
TRANSMISSION UNDER 37 CFR 1.8**

I hereby certify that this correspondence and the documents referred to as attached therein are being facsimile transmitted to the U.S. Patent and Trademark Office to the fax number indicated by the Examiner, namely, fax number (703)-872-9306 to the attention of the named Examiner, on the date below.

10/27/03
Date

[Signature]
Signature

**THIRD RESPONSE TO FINAL OFFICE ACTION DATED JUNE 27, 2003 AND
INTERVIEW SUMMARY**

In response to the Final Office Action dated June 27, 2003, having a shortened statutory period for response extended one month to and including October 27, 2003, please enter this response and reconsider the claims pending in the application for reasons discussed below. The Commissioner is hereby authorized to charge counsel's Deposit Account No. 20-0782/AMAT/2922.Y1/KMT, for any additional fees required to make this response timely and acceptable to the Office.

Amendments to the Claims are reflected in the listing of claims which begins on page 2 of this paper. **Remarks/Arguments** begin on page 6 of this paper.

RECEIVED
CENTRAL FAX CENTER
OCT 27 2003

OFFICIAL